### PATENT COOPERATION TREATY

# **PCT**

REC'D 0 2 MAY 2006

## INTERNATIONAL PRELIMINARY REPORT ON PATENTABILIT

(Chapter II of the Patent Cooperation Treaty)

Y	
	PC"
WIPO	10

(PCT Article 36 and Rule 70)

Applicant's or age	nt's file reference	FOR FURTHER ACTI	ON	See Form PCT/IPEA/416
030245WO		International filing date (da		Priority date (day/month/year)
International appli	cation No.			18 February 2003 (18.02.2003)
PCT/US04/04787	nt Classification (IPC)	18 February 2004 (18.02.20 or national classification and l	IPC	18 1 cordary 2005 (16.62.2005)
	, 439,067.11			
IPC: 455/442 USPC: H04Q 7				
Applicant				
QUALCOMM IN		*		
1. This Exam	1. This report is the international preliminary examination report, established by this International Preliminary Examining Authority under Article 35 and transmitted to the applicant according to Article 36.			
		f a total of sheets, include		
3. This	report is also accomp	panied by ANNEXES, com	prising:	
а. Г	(sent to the applic	ant and to the International	l Bureau) a total of	sheets, as follows:
sheets of the description, claims and/or drawings which have been amended and are the basis of this report and/or sheets containing rectifications authorized by this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions).				
	sheets which supersede earlier sheets, but which this Authority considers contain an amendment that goes beyond the disclosure in the international application as filed, as indicated in item 4 of Box No. I and the Supplemental Box.			
b. [	Gant to the Inter	rnational Rureau only) a to	tal of (indicate type	and number of electronic carrier(s))
, containing a sequence listing and/or tables related thereto, in electronic form only, as indicated in the Supplemental Box Relating to Sequence Listing (see Section 802 of the Administrative Instructions).				
4. This	report contains indic	cations relating to the follow	ving items:	
		Basis of the report		
	Box No. II	Priority		
Box No. III Non-establishment of opinion with regard to novelty, inventive step and industrial applicability			ovelty, inventive step and industrial	
		Lack of unity of invention		
	Box No. V	Reasoned statement under industrial applicability; cita	Article 35(2) wit tions and explanation	h regard to novelty, inventive step or ons supporting such statement
		Certain documents cited		
	Box No. VII	Certain defects in the intern	national application	
	Box No. VIII	Certain observations on the	international applic	cation
Date of submis	sion of the demand		Date of completio	n of this report
		19 April 2006 (19.0	4.2006)	
16 September 2004 (16.09.2004)  Name and mailing address of the IPEA/ US				
Mail Stop PCT, Attn: IPEA/US Commissioner for Patents		Kenneth Wieder	Williams 30000	
P.O. Box 1450		Aciment Wieder	1 Minhoras Del	
Alexandria, Virginia 22313-1450 Facsimile No. (571) 273-3201		Telephone No. 571	Rugenio Zogar	

International application No.
PCT/US04/04787

Box No. I Basis of the report
1. With regard to the language, this report is based on:
the international application in the language in which it was filed.
a translation of the international application into <u>English</u> , which is the language of a translation furnished for the purposes of:
international search (under Rules 12.3 and 23.1(b))
publication of the international application (under Rule 12.4(a))
international preliminary examination (under Rules 55.2(a) and/or 55.3(a))
2. With regard to the elements of the international application, this report is based on (replacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to this report):
the international application as originally filed/furnished
the description:
pages 1-15 as originally filed/furnished
pages* NONE received by this Authority on  pages* NONE received by this Authority on
5-7
the claims: pages 16-20 as originally filed/furnished
pages* NONE as amended (together with any statement) under Article 19
pages* NONE received by this Authority on
pages* NONE received by this Authority on
the drawings:
pages 1-6 as originally filed/furnished
pages* NONE received by this Authority on
pages* NONE received by this Authority on
a sequence listing and/or any related table(s) - see Supplemental Box Relating to Sequence Listing.
3. The amendments have resulted in the cancellation of:
the description, pages
the claims, Nos.
the drawings, sheets/figs
the sequence listing (specify):
any table(s) related to the sequence listing (specify):
4. This report has been established as if (some of) the amendments annexed to this report and listed below had not been made, since they have been considered to go beyond the disclosure as filed, as indicated in the Supplemental Box (Rule 70.2(c)).
the description, pages
the claims, Nos.
the drawings, sheets/figs
the sequence listing (specify):
any table(s) related to the sequence listing (specify):
* If item 4 applies, some or all of those sheets may be marked "superseded."

International application No. PCT/US04/04787

Box No. V	Reasoned statement under Ar applicability; citations and exp	ticle 35(2) with regard to novelty, inventive step or indust planations supporting such statement	trial 
1. Statemer	nt		
1	Novelty (N)	Claims 2-4, 13-15, 19-21, 31-33	YES
-	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Claims 1, 5-12, 16-18, 22-30	NO
ו	Inventive Step (IS)	Claims 4, 15, 19-21, 33	YES
_	1 ( )	Claims <u>1-3, 5-14, 16-18, 22-32</u>	NO
1	Industrial Applicability (IA)	Claims 1-33	YES
•		Claims NONE	NO

2. Citations and Explanations (Rule 70.7) Please See Continuation Sheet

International application No.

PCT/US04/04787

Box No. VI Certain docum	ıents	cited
--------------------------	-------	-------

1. Certain published documents (Rule 70.10)

Application No
<u>Patent No.</u>
US 2003/0129981

Publication Date (day/month/year)

(day/month/year) 10 July 2003 (10.07.2003) Filing Date (day/month/year)
27 December 2002 (27.12.2002)

Priority date (valid claim)
(day/month/year)
None

2. Non-written disclosures (Rule 70.9)

Kind of non-written disclosure

Date of non-written disclosure (day/month/year)

Date of written disclosure referring to non-written disclosure (day/month/year)

Form PCT/IPEA/409 (Box No. VI) (April 2005)

International application No. PCT/US04/04787

Supp	lemental Box
In	case the space in any of the preceding boxes is not sufficient.
	ntinuation of:
<b>\</b>	7. 2. Citations and Explanations: Claims 1, 5-12, 16-18 and 22-30 lack novelty under PCT Article 33(2) as being anticipated by Jung (US 6,049,716).
	Regarding claim 1, Jung teaches a wireless communication system (fig.2, col. 3, lines 11-15) comprising: a network (fig.1-2 col. 3, nes 11-15); a first base station coupled to the network (fig.1-2, col. 2, lines 3-15); and a mobile station coupled to the base station via a mobile station link (fig.1-2, col. 2, lines 3-15, mobile station transmits the strength measurement message (PSMM) signal to

base station); wherein the network is configured to direct the mobile station to enter or leave soft handoff status (fig. 1-3, col. 3, lines 11-67); and wherein the mobile station is configured to modify a set of transmission parameters in response to the network directing the mobile station to enter or leave soft handoff (fig.1-3, col. 2, line 3 to col. 3, line 67). Regarding claim 5, Jung teaches a wireless communication system as recited in claim 1, wherein the mobile station is configured to

measure a pilot signal strength for each of one or more base stations (fig.1-3, 6, col. 2, line 3 to col. 3, line 67) wherein the one or more base stations include the first base station (fig.1-3, 6) and to periodically transmit one or more pilot strength measurement messages to the network (fig.1-3, 6, col. 2, line 3 to col. 3, line 67).

Regarding claim 6, Jung teaches a wireless communication system as recited in claim 5, wherein the network is configured to identify a change in a number of base stations in an active set for the mobile station based on the pilot strength measurement messages (fig.1-3, 6, col. 1, line 47 to co1.2, line 48) and to direct the mobile station to enter or leave soft handoff based on the change in the number of base stations in the active set (fig.1-3, 6, col. 1, line 47 to col.2, line 48).

Regarding claim 7, Jung teaches a wireless communication system as recited in claim 6, wherein the network is configured to direct the mobile station to enter or leave soft handoff by sending a handoff direction message (HDM) to the mobile station (fig.1-3, 6, col. l, lines 36-65, col. 5, lines 35-67).

Regarding claim 8, Jung teaches a wireless communication system as recited in claim 7, wherein the mobile station is configured to modify the transmission parameter in response to receiving the HDM from the network (fig. 1-3, 6, col.2, line 3 to col. 3, line 67).

International application No. PCT/US04/04787

#### Supplemental Box

transmit a handoff completion; message to the network after receiving the HDM (fig.1-3, 6, 01.2, line 3 to col. 3, line 67).

Regarding claim 10, Jung teaches a mobile station configured to operate in a wireless communication system (fig.1-3) comprising: a processing subsystem (fig.1-3, col. 2, line 42 to col. 3, line 3); and a transceiver subsystem (fig.1-3, col. 3, line 42 to col. 3, line 3); wherein the processing subsystem is configured to set a transmission parameter for the transceiver subsystem in response to detecting that the mobile station is entering or leaving soft handoff (fig. 1-3, col. 2, line 3 to col. 3, line 67).

Regarding claim 11, Jung teaches a mobile station as recited in claim 10, wherein the processing subsystem is configured to detect that the mobile station is entering or leaving soft handoff based upon a received handoff direction message (HDM) (fig. 1-3, 6, col. 2, line 3 to col. 3, line 67).

Regarding claim 12, Jung teaches a mobile station as recited in claim 11, wherein the processing subsystem is configured to set the transmission parameter to a first value if the HDM directs the mobile station to enter soft handoff (fig. 1-3, 6, col. 2, line 3 to col. 3, line 67), and to set the transmission parameter to a second value if the HDM directs the mobile station to leave soft handoff (fig. 1-4, 6, col. 4. line 48 to col. 5, line 12).

Regarding claim 16, Jung teaches a mobile station as recited in claim 11, further comprising measuring a pilot signal strength for each of one or more base stations and periodically transmitting one or more pilot strength measurement messages to a network connected to the base stations (fig.1-3, 6, col. 2, line 3 to col.3, line 67).

Regarding claim 17, Jung teaches amobile station as recited in claim 16, further comprising transmitting a handoff completion message to the network after receiving the HDM (fig.1-3, 6, col. 1, lines 36-65, col. 5, lines 35-67).

Regarding claim 18, Jung teaches a method implemented in a wireless communication system (fig.1-3) comprising: detecting a mobile station entering or leaving soft handoff (fig.1-3, abstract, col. l, lines 36-65); and modifying a transmission parameter for the mobile station in response to detecting the mobile station entering or leaving soft handoff (fig.1-3, col. 1, line 36 to col. 2, line 19).

Regarding claim 22, Jung teaches a method as recited in claim 18, further comprising the mobile station measuring a pilot signal strength for each of one or more base stations and periodically transmitting one or more pilot strength measurement messages to a network (fig. 1-4, 6, col. 2, line 3 to col. 3, line 67, col. 4, line 48 to col. 5, line 12).

Regarding claim 23, Jung teaches a method as recited in claim 22, wherein detecting the mobile station entering or leaving soft handoff comprises identifying a change in a number of base stations in an active set for the mobile station based on the pilot strength measurement messages (fig. 1-4, 6, col. l, line 47 to col. 2, line 48, col. 4, line 48 to col. 5, line 12).

Regarding claim 24, Jung teaches a method as recited in claim 23, further comprising sending a handoff direction message (HDM) from the network to the mobile station in response to detecting the change in a number of base stations in an active set (fig. 1-4, 6, col. 2, line 3 to col. 3, line 67, col. 4, line 48 to col. 5, line 12).

Regarding claim 25, Jung teaches a method as recited in claim 24, wherein modifying the transmission parameter for the mobile station is performed in response to receiving the HDM from the network (fig. 1-4, 6, col. 2, line 3 to col. 3, line 67, col. 4, line 48 to col. 5, line 12).

Regarding claim 26, Jung teaches a method as recited in claim 25, further comprising transmitting a handoff completion message from the mobile station to the network after receiving the HDM (fig. 1-3, 6, col. 1, lines 36-65, col. 5, lines 35-67).

Regarding claim 27, Jung teaches a method implemented in a mobile station (fig.1-3) comprising: detecting that the mobile station is entering or leaving soft handoff (fig.1-3, abstract, col. 1, lines 36-65); if the mobile station is entering soft handoff, setting a transmission parameter to a first value (fig. 1-4, col. 1, line 36 to col. 2, line 19, col. 3, line 49 to col. 4, line 17); and if the mobile station is leaving soft handoff, setting a transmission parameter to a second value (fig. 1-4, col. 1, line 36 to col. 2, line 19, col. 3, line 49 to col. 4, line 17).

Regarding claim 28, Jung teaches a method as recited in claim 27, wherein detecting that the mobile station is entering or leaving soft handoff comprises receiving a handoff: direction message (HDM) from the network (fig. 1-3, 6, col. 1, lines 36-65, col. 5, lines 35-67).

Regarding claim 29, Jung teaches a method as recited in claim 27, further comprising measuring a pilot signal strength for each of one or more base stations and periodically transmitting one or more pilot strength measurement messages to a first one of the base stations (fig. 1-3, 6, col. 6, line 61 to col. 7, line 38).

Regarding claim 30, Jung teaches a method as recited in claim 29, further comprising transmitting a handoff completion message to the first one of the base stations after receiving the HDM (fig. 1-3, 6, col. 6, line 61 to col. 7, line38).

Claims 2, 3, 13, 14, 31 and 43 lack an inventive step under PCT Article 33(3) as being obvious over Jung, in view of Hunzinger et al. (US 2002/0172192).

Regarding claim 2, Jung teaches a wireless communication system as recited in claim 1, Jung fails to specifically discloses the transmission parameter comprises a frame size, wherein if the mobile station is directed to enter soft handoff, the frame size is set to a first size and wherein if the mobile station is directed to leave soft handoff, the frame size is set to a second size. However, Hunzinger teaches the transmission parameter comprises a frame size (paragraph 0018, 0058-0059), wherein if the mobile station is directed to enter soft handoff, the frame size is set to a first size (paragraph 0018, 0058-0059, 0109) and wherein if the mobile station is directed to leave soft handoff, the frame size is set to a second size (paragraph 0018, 0058-0059, 0109). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to use the transmission parameter comprises a frame size, wherein if the mobile station is directed to enter soft handoff, the frame size is set to a first size and wherein if the mobile station is directed to leave soft handoff the frame size is set to a second size as taught by Hunzinger with Jung teaching in order to provide coverage over larger areas to meet consumer demand.

Regarding claim 3, Jung and Hunzinger further teaches a wireless communication system as recited in claim 2, wherein the first size is greater than the second size (see Jung, col. I, line 55 to col. 2, line 19, see Hunzinger, paragraph 0018, 0058-0059, 0109).

Regarding claim 13, Jung teaches a mobile station as recited in claim 12, Jung fails to specifically discloses the transmission parameter comprises frame size. However, Hunzinger teaches the transmission parameter comprises a frame size (paragraph 0018, 0058-

International application No. PCT/US04/04787

#### Supplemental Box

0059). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to use the transmission parameter comprises a frame size as taught by Hunzinger with Jung teaching in order to provide coverage over larger areas to meet consumer demand.

Regarding claim 14, Jung and Hunzinger further teaches a mobile station as recited in claim 13, wherein the first size is greater than the second size (see Jung, col. l, line 55 to col. 2, line 19, see Hunzinger, paragraph 0018, 0058-0059, .0109).

Regarding claim 31, Jung teaches method as recited in claim 27, Jung fails to specifically discloses the transmission parameter comprises frame size. However, Hunzinger teaches the transmission parameter comprises a frame size (paragraph 0018, 0058-0059). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to use the transmission parameter comprises a frame size as taught by Hunzinger with Jung teaching in order to provide coverage over larger areas to meet consumer demand.

Regarding claim 32, Jung and Hunzinger further teaches a method as recited in claim 31, wherein the first value is greater than the second value.

Claims 4, 15, 19-21 and 33 meet the criteria set out in PCT Article 33(2)-(3), because the prior art does not teach or fairly suggest the claimed subject matter.

Claims 1-33 meet the criteria set out in PCT Article 33(4), and thus have industrial applicability because the subject matter claimed can be made or used in industry.

NEW CITATIONS	
us 6.049.716 A (UNG) 11 April 2000, fig. 1-2; col. 3, lines 11-15; col. 2, lines 3-15.	00
US 2002/0172192 A1 (HUNZINGER et al.) 21 November 2002, para. 0018, 0058-0059, 010	υ <b>9</b> .